## System Design Barriers to HIS Data Use in Low and Middle-income Countries: A Literature Review

## UNC SILS Technical Report 2016-01

Manish Kumar<sup>1</sup> and David Gotz<sup>2</sup>

<sup>1</sup>MEASURE Evaluation, University of North Carolina at Chapel Hill, manishk@email.unc.edu <sup>2</sup>School of Information and Library Science, University of North Carolina at Chapel Hill, gotz@unc.edu

## Summary

The ability of low and middle-income countries (LMICs) to monitor and measure their progress toward sustainable development health goals is dependent on design, implementation and use of a robust national health information system (HIS). Improved health system performance is directly linked with the use and quality of routine data in a country's HIS. However, studies have reported several types of barriers that hamper data quality and data use in a national health system of LMICs. To better understand these barriers, we have conducted a systematic review of the scientific literature. The objective of this literature review was to synthesize and summarize the system design-related research and implementation gaps affecting data quality and data use in decision-making. The review made an effort to answer two key questions: (i) what does the published literature tell us about HIS design barriers to data use in LMICs? (ii) What, if any, are the main research and implementation gaps?

The review methodology included a two-pronged search strategy. Under the first strategy, electronic searches were performed in the *PubMed, Web of Science, Embase*, and *Global Health* scientific databases. After removing duplicates and papers with no abstract, a total of 307 abstracts (Appendix I) were selected for detailed review. The second search strategy involved consultation with an expert from the MEASURE Evaluation project who has extensive experience on routine data use issues in LMICs. Based on the consultation with the expert and a review of abstracts from the electronic search, a total of 18 papers were selected for full-paper review (Appendix II).

This report provides a comprehensive bibliography of the references identified through the literature review. Future work will include an analysis of these findings and a discussion regarding any implications to HIS data use and design.

## Appendix I. Publications identified from electronic search for review

(1) Typhoid fever surveillance and vaccine use, South-East Asia and Western Pacific Regions, 2009-2013. Weekly Epidemiological Record 2014;89(40):429.

(2) Community health to implement new health management information system. J Med Assoc Ga 2002;91(3):24-25.

(3) Assessment of infectious disease surveillance - Uganda, 2000. Morb Mortal Weekly Rep 2000;49(30):687.

(4) Abajebel S, Jira C, Beyene W. Utilization of health information system at district level in jimma zone oromia regional state, South west ethiopia. Ethiopian journal of health sciences 2011 aug;21(Suppl 1):65-76.

(5) Abdusamadovich ML. Global standards and local applications: case of implementing ICD-10 standard in HMIS Tajikistan. Journal of Health Informatics in Developing Countries 2013;7(1):20.

(6) Accorsi S. Special session Countdown to 2015 in Ethiopia Countdown to 2015: challenges and perspectives in achieving the Millennium Development Goals in Ethiopia. Articles from the 13th World Congress on Public Health 2013:7-12.

(7) Adindu A, Babatunde S. Health managers' perception of the primary health care management information system: a case of Bama Local Government in northern Nigeria. Nigerian journal of medicine : journal of the National Association of Resident Doctors of Nigeria 2006;15(3):266-270.

(8) Agyepong IA, Aryeetey GC, Nonvignon J, Asenso-Boadi F, Dzikunu H, Antwi E, et al. Advancing the application of systems thinking in health: Provider payment and service supply behaviour and incentives in the Ghana National Health Insurance Scheme - a systems approach. Health Research Policy and Systems 2014;12(1).

(9) Ahanhanzo YG, Ouedraogo LT, Kpozehouen A, Coppieters Y, Makoutode M, Wilmet-Dramaix M. Factors associated with data quality in the routine health information system of Benin. Archives of public health = Archives belges de sante publique 2014 jul;72(1):25-3258--72--25. eoeton 2014.

(10) Ahanhanzo YG, Kittel F, Paraiso NM, Godin I, Wilmet-Dramaix M, Makoutode M. Exploratory analysis of work engagement: Use of the Utrecht scale in Benin. Sante Publique 2014;26(3):365-373.

(11) Ahanhanzo YG, Ouendo E, Kpozehouen A, Leveque A, Makoutode M, Dramaix-Wilmet M. Data quality assessment in the routine health information system: an application of the Lot Quality Assurance Sampling in Benin. Health Policy Plan 2015 sep;30(7):837-843.

(12) Ahmed T, Lucas H, Khan AS, Islam R, Bhuiya A, Iqbal M. eHealth and mHealth initiatives in Bangladesh: a scoping study. BMC Health Services Research 2014;14(260):(16 June 2014).

(13) Ahuja S, Mirzoev T, Lund C, Ofori-Atta A, Skeen S, Kufuor A. Key influences in the design and implementation of mental health information systems in Ghana and South Africa. Global Mental Health 2016 apr;3:e11.

(14) Akinde AD, Soriyan HA, Makanjuola ROA. National Health Management Information System: Issues of funding and support. Methods Inf Med 1997;36(2):99-101.

(15) Akol A, Engebretsen IMS, Skylstad V, Nalugya J, Ndeezi G, Tumwine J. Health managers' views on the status of national and decentralized health systems for child and adolescent mental health in Uganda: A qualitative study. Child and Adolescent Psychiatry and Mental Health 2015;9(1).

(16) Akpasa AO, Adebayo A, Onyilo J, Ahmed B, Ladipo TO, Oke Y, et al. Uptake of intermittent preventive therapy among pregnant women attending antenatal clinics in public and registered private health facilities in Oyo State, Nigeria. International Journal of Infectious Diseases 2016;45:272-273.

(17) Akroyd D. The logical framework approach and the post-evaluation of health-sector projects by the African Development Bank. Project Appraisal 1995;10(4):210.

(18) Alegana VA, Atkinson PM, Wright JA, Kamwi R, Uusiku P, Katokele S, et al. Estimation of malaria incidence in northern Namibia in 2009 using Bayesian conditional-autoregressive spatial-temporal models. Spatial and spatio-temporal epidemiology 2013 dec;7:25-36.

(19) Ali SM, Ame SM, Al-Sawafy YM, Carozzi A, Albonico M, Jiddawi MS, et al. A public health laboratory for global capacity building in sub-Saharan Africa. Tropical Medicine and International Health 2015;20:118.

(20) Al-mafazy A-, Ngilangwa DP, Ali AS, Garimo I, Molteni F, Msellem MI, et al. Representativeness, completeness, timeliness and accuracy of zanzibar's malaria epidemic early detection system (MEEDS), 2008-2011. Am J Trop Med Hyg 2012;87(5):269.

(21) Amouzou A, Kachaka W, Banda B, Chimzimu M, Hill K, Bryce J. Monitoring child survival in 'real time' using routine health facility records: Results from Malawi. Tropical Medicine and International Health 2013;18(10):1231-1239.

(22) Andrade-Pacheco R, Mubangizi M, Quinn J, Lawrence ND. Consistent mapping of government malaria records across a changing territory delimitation. Malaria Journal 2014;13:S12.

(23) Antwi E, Klipstein-Grobusch K, Asare GQ, Koram KA, Grobbee D, Agyepong IA. Measuring regional and district variations in the incidence of pregnancy-induced hypertension in Ghana: Challenges, opportunities and implications for maternal and newborn health policy and programmes. Tropical Medicine and International Health 2016;21(1):93-100.

(24) Anwar I, Nababan HY, Mostari S, Rahman A, Khan JAM. Trends and inequities in use of maternal health care services in Bangladesh, 1991-2011. PLoS ONE 2015;10(3).

(25) Anwari Z, Shukla M, Maseed BA, Wardak GF, Sardar S, Matin J, et al. Implementing peoplecentred health systems governance in 3 provinces and 11 districts of Afghanistan: a case study. Conflict and health 2015 jan;9:2-1505--9--2. eoeton 2015.

(26) Aqil A, Lippeveld T, Hozumi D. PRISM framework: A paradigm shift for designing, strengthening and evaluating routine health information systems. Health Policy Plan 2009;24(3):217-228.

(27) Armstrong CE, Magoma M, Ronsmans C. Magnitude of maternal and neonatal mortality in Tanzania: A systematic review. International Journal of Gynecology and Obstetrics 2015;130(1):98-110.

(28) Asangansi I. Understanding HMIS Implementation in a Developing Country Ministry of Health Context - an Institutional Logics Perspective. Online journal of public health informatics 2012;4(3):10.5210/ojph.43.4302. Epub 2012 De 19.

(29) Asangansi I, Macleod B, Meremikwu M, Arikpo I, Roberge D, Hartsock B, et al. Improving the routine HMIS in Nigeria through mobile technology for community data collection. Journal of Health Informatics in Developing Countries 2013;7(1):76.

(30) Aung E, Whittaker M. Preparing routine health information systems for immediate health responses to disasters. Health Policy Plan 2013 aug;28(5):495-507.

(31) Ausse J, Omar MA, Mamede S, Mecedo MC, Pinto A, Campos JS. Developing an information system to support the pursuit of decentralization. The perspective of Cear\`a State in Brazil. J Manag Med 1995;9(4):35-43.

(32) Awoleye OJ, Thron C. Improving access to malaria rapid diagnostic test in Niger State, Nigeria: An assessment of implementation up to 2013. Malaria Research and Treatment 2016;2016.

(33) Baingana FK, Alem A, Jenkins R. Mental Health and the Abuse of Alcohol and Controlled Substances. In: Jamison DT, Feachem RG, Makgoba MW, Bos ER, Baingana FK, Hofman KJ, et al, editors. . 2nd ed. Washington (DC): The International Bank for Reconstruction and Development/The World Bank; 2006.

(34) Balarajan R, Raleigh VS, Yuen P. Hospital care among ethnic minorities in Britain. Health Trends 1991;23(3):90-93.

(35) Bandyopadhyay K, Iyer RK. A conceptual model for the adoption of disaster recovery planning by health maintenance organizations. ; 1997.

(36) Bandyopadhyay K, Schkade LL. Disaster recovery planning by HMOs: Theoretical insights. Health Care Manage Rev 2000;25(2):74-84.

(37) Bashir F, Ikram T. Implementation of disease early warning system on malaria. Journal of Medical Sciences (Pakistan) 2003;3(3):227.

(38) Bazant E, Rakotovao JP, Rasolofomanana JR, Tripathi V, Gomez P, Favero R, et al. Quality of care to prevent and treat postpartum hemorrhage and pre-eclampsia/ eclampsia: An observational assessment in Madagascar's hospitals. Medecine et Sante Tropicales 2013;23(2):168-175.

(39) Bazavan M, Dimitriu R. Medical informatics training programme to support the Romanian health care management information system. Int J Med Inf 1998;50(1-3):145-150.

(40) Bazavan M, Dimitriu R. Medical informatics training programme to support the Romanian Health Care Management Information System. Stud Health Technol Inform 1997;43 Pt B:717-721.

(41) Bazzoli F. CHIN building, step one: create a consensus. Health Data Manag 1995;3(8):57; 58, 60, 63.

(42) Bennett A, Miller J, Ingwe MM, Moonga HB, Hamainza B, Kamuliwo M, et al. Using health management information system data on parasitologically-confirmed malaria cases to evaluate the effect of vector control coverage. Am J Trop Med Hyg 2012;87(5):405.

(43) Bennett A, Yukich J, Miller JM, Vounatsou P, Hamainza B, Ingwe MM, et al. A methodological framework for the improved use of routine health system data to evaluate national malaria control programs: evidence from Zambia. Population Health Metrics 2014 nov;12:30.

(44) Bensa $A\hat{A}^{-}d$  K, Yaroh AG, Kalter HD, Koffi AK, Amouzou A, Maina A, et al. Verbal/Social Autopsy in Niger 2012-2013: a new tool for a better understanding of the neonatal and child mortality situation. Journal of Global Health 2016;6(1):10602.

(45) Bergh A-, Kerber K, Abwao S, de-Graft Johnson J, Aliganyira P, Davy K, et al. Implementing facility-based kangaroo mother care services: lessons from a multi-country study in Africa. BMC health services research 2014;14:293.

(46) Bernardi R. IT Enactment of New Public Management in Africa: The Case Study of Health Information Systems in Kenya. ; 2009.

(47) Bhandari R, Adhikari M, Khanal V. Factors associated with Child Health Card holding among mothers of western rural Nepal: a cross sectional community based study. International Journal of Child Health and Nutrition 2013;2(2):123.

(48) Bhattacharya M, Shahrawat R, Joon V. Understanding level of maternal and child health indicators used in Health Management Information System among peripheral level health functionaries in two districts of India. Journal of Health Informatics in Developing Countries 2012;6(1):385.

(49) Biswas KK, Kabir M, Sidique AB, Mizan S. Monitoring helps services to reach the poor: The urban primary healthcare project in Bangladesh. BMC Proceedings 2012;6.

(50) Bowie C, Mwase T. Assessing the use of an essential health package in a sector wide approach in Malawi. Health Research Policy and Systems 2011;9.

(51) Boyom SF, Kwankam SY, Asoh DA, Asaah C, Kengne F. Health-2000: An integrated large-scale expert system for the hospital of the future. Methods Inf Med 1997;36(2):92-94.

(52) Braa J, Heywood A, Sahay S. Improving quality and use of data through data-use workshops: Zanzibar, united republic of Tanzania. Bull World Health Organ 2012;90(5):379-384.

(53) Bradshaw D, Dorrington RE. Maternal mortality ratio - trends in the vital registration data. S Afr J Obstet Gynaecol 2012;18(2):38-42.

(54) Brieger W. Mobiles for malaria. Africa Health 2012;34(6):17.

(55) Bucens IK, Reid A, Barreto AC, Dwivedi V, Counahan M. Three years of neonatal morbidity and mortality at the national hospital in Dili, East Timor. J Paediatr Child Health 2013;49(6):452-457.

(56) Buchholz U, Run G, Kool JL, Fielding J, Mascola L. A risk-based restaurant inspection system in Los Angeles County. J Food Prot 2002;65(2):367-372.

(57) Caballero I, Sanchez LE, Freitas A, Fernandez-Medina E. HC plus : Towards a Framework for Improving Processes in Health Organizations by Means of Security and Data Quality Management. Journal of Universal Computer Science 2012;18(12):1703-1720.

(58) Campbell B, Adjei S, Heywood A. From data to decision making in health: the evolution of a health management information system. 1996.

(59) Chae YM, Kim SI, Lee BH, Choi SH, Kim IS. Measuring the success of implementation of information system for health center. Medinfo.MEDINFO 1995;8 Pt 2:1549-1552.

(60) Chae YM, Kim SI, Lee BH, Choi SH, Kim IS. Implementing health management information systems: Measuring success in Korea's health centers. Int J Health Plann Manage 1994;9(4):341-348.

(61) Chaffa ESA, Fiekowsky E, Sodjinou J, Johns B, Belemvire A, George K, et al. Can health management information system (HMIS) data be used to make indoor residual spray policy decisions in Benin? Am J Trop Med Hyg 2014;91(5):473.

(62) Chanda E, Coleman M, Kleinschmidt I, Hemingway J, Hamainza B, Masaninga F, et al. Impact assessment of malaria vector control using routine surveillance data in Zambia: Implications for monitoring and evaluation. Malaria Journal 2012;11.

(63) Chanda E, Mukonka VM, Kamuliwo M, Macdonald MB, Haque U. Operational scale entomological intervention for malaria control: Strategies, achievements and challenges in Zambia. Malaria Journal 2013;12(1).

(64) Chaulagai CN, Moyo CM, Koot J, Moyo HBM, Sambakunsi TC, Khunga FM, et al. Design and implementation of a health management information system in Malawi: Issues, innovations and results. Health Policy Plan 2005;20(6):375-384.

(65) Cherutich P, Golden M, Betz B, Wamuti B, Ng'ang'a A, Maingi P, et al. Surveillance of HIV assisted partner services using routine health information systems in Kenya. Bmc Medical Informatics and Decision Making 2016 jul;16:97.

(66) Chisha Z. Malaria active case surveillance: The case for Lusaka urban health facility profiling. Am J Trop Med Hyg 2011;85(6):203-204.

(67) Cibulskis RE, Bell D, Christophel EM, Hii J, Delacollette C, Bakyaita N, et al. Estimating trends in the burden of malaria at country level. Am J Trop Med Hyg 2007;77(6 Suppl):133-137.

(68) Colborn JM, Yava R, Leon GPD, Chan A, Hershey C, Fortes F. Sub-national evaluation of the impact of malaria control programs in huambo province, Angola. Am J Trop Med Hyg 2013;89(5):397.

(69) D\AÂaz SL, Jarquin C, Morales AJ, Morales M, Valenzuela C. Burden of salmonellosis and shigellosis in four departments of Guatemala, 2010. / Carga de salmonelosis y shigelosis en cuatro departamentos de Guatemala, 2010. Revista Panamericana de Salud  $P\{ = A\}$  {\textordmasculine} blica/Pan American Journal of Public Health 2015;38(4):326.

(70) Damtew ZA, Moges AS. From multiple register to family folder: the transition of data collection and reporting tools for health extension workers in Ethiopia. Journal of Health Informatics in Developing Countries 2013;7(2):99.

(71) de Costa A, Diwan V. 'Where is the public health sector?' Public and private sector healthcare provision in Madhya Pradesh, India. Health Policy 2007;84(2/3):269.

(72) de Costa A, Saraf V, Jhalani M, Mahadik VK, Diwan VK. Managing with maps? The development and institutionalization of a map-based health management information system in Madhya Pradesh, India. Scand J Public Health 2008;36(1):99.

(73) Deen J, da Matos L, Temple B, Su J-, da Silva J, Liberato S, et al. Identifying national health research priorities in Timor-Leste through a scoping review of existing health data. Health Research Policy and Systems 2013:8.

(74) Dehury RK. The progress and impact of health management information system (HMIS) in monitoring and evaluation of health programs in India. Indian Journal of Basic and Applied Medical Research 2014;3(4):116.

(75) Deodhar NS. Health systems research in maternal and child health challenges, problems and prescriptions. Indian journal of maternal and child health : official publication of Indian Maternal and Child Health Association 1994;5(4):88-94.

(76) Deqiang C, Jingxian L, Baozhi C. Research on Enterprise Occupational Health Management Information System. ; 2008.

(77) Diaz SL, Jarquin C, Morales AJ, Morales M, Valenzuela C. Burden of salmonellosis and shigellosis in four departments of Guatemala, 2010. Revista Panamericana De Salud Publica-Pan American Journal of Public Health 2015 oct;38(4):326-332.

(78) Dony JF, Ahmad J, Tiong YK. Epidemiology of tuberculosis and leprosy, Sabah, Malaysia. Tuberculosis 2004;84(1-2):8-18.

(79) Dooley AR. Health management information systems: Methods and practical applications, 2nd edition. Am J Health Behav 2002;26(3):231-233.

(80) Dumont A, Gueye M, Sow A, Diop I, Konate MK, Dambe P, et al. Using routine information system data to assess maternal and perinatal care services in Mali and Senegal (QUARITE trial). Revue D Epidemiologie Et De Sante Publique 2012 dec;60(6):489-496.

(81) Echoka E, Kombe Y, Dubourg D, Makokha A, Evjen-Olsen B, Mwangi M, et al. Existence and functionality of emergency obstetric care services at district level in Kenya: theoretical coverage versus reality. BMC health services research 2013;13:113.

(82) Ekirapa-Kiracho E, Waiswa P, Rahman MH, Makumbi F, Kiwanuka N, Okui O, et al. Increasing access to institutional deliveries using demand and supply side incentives: Early results from a quasi-experimental study. BMC International Health and Human Rights 2011;11(SUPPL. 1).

(83) Ekwueme OC, Aghaji MN. Can retraining enhance the knowledge and attitude of primary health workers towards health management information system in Enugu State, Nigeria? Journal of College of Medicine 2008;13(2):71.

(84) Ekwueme OC, Aniebue PN, Obionu CN, Onwasigwe CN. Health data recording, reporting and utilization practices among primary health care workers in Enugu State, South Eastern Nigeria. Journal of College of Medicine 2008;13(2):85.

(85) Emmanuel S. Quality assurance in medicine: research and evaluation activities towards quality control in Singapore. Ann Acad Med Singap 1993;22(2):129-133.

(86) Ezeudu CC, Hashim E, Adegoke J, Abah C, Akerele K. Routine immunization data management need assessment survey of selected health facilities and local government areas in Enugu State, June, 2015. International Journal of Infectious Diseases 2016;45:418.

(87) Faal H, Cook C, Thulasiraj RD. Managing information in eye care programmes: the health systems perspective. Community Eye Health Journal 2010;23(74):50.

(88) Farcas DD. The Health Management Information System of Romania. Stud Health Technol Inform 1999;68:140-145.

(89) Fenenga C, Mommers P, de Jager A. Health management information systems as a tool for human resource development (HRD) - the case of Uganda. Tropical Medicine  $\{\\&\}$  International Health 2007 may;12:63.

(90) Forte P. Health management information systems: A handbook for decision makers. Int J Health Plann Manage 2001;16(1):81-83.

(91) Fuad A, Sanjaya GY, Lazuardi L, Rahmanti AR, Hsu C-. Alumni's perception of public health informatics competencies: lessons from the Graduate Program of Public Health, Faculty of Medicine, Universitas Gadjah Mada, Indonesia. Stud Health Technol Inform 2013;192:1076.

(92) Gamm L. A real-time case approach to teaching information systems in health services administration: hardwiring research to teaching. J Health Adm Educ 2002;20(1):61-73.

(93) Gautham M, Spicer N, Subharwal M, Gupta S, Srivastava A, Bhattacharyya S, et al. District decision-making for health in low-income settings: a qualitative study in Uttar Pradesh, India, on engaging the private health sector in sharing health-related data. Health Policy Plan 2016 sep;31 Suppl 2:35-46.

(94) Gething PW, Atkinson PM, Noor AM, Gikandi PW, Haye SI, Nixon MS. A local space-time kriging approach applied to a national outpatient malaria data set. Computers {\&} Geosciences 2007 oct;33(10):1337-1350.

(95) Gething PW, Noor AM, Gikandi PW, Ogara EAA, Hay SI, Nixon MS, et al. Improving imperfect data from health management information systems in Africa using space-time geostatistics. PLoS Medicine 2006;3(6):825-831.

(96) Gething PW, Noor AM, Goodman CA, Gikandi PW, Hay SI, Sharif SK, et al. Information for decision making from imperfect national data: Tracking major changes in health care use in Kenya using geostatistics. BMC Medicine 2007;5.

(97) Gething PW, Noor AM, Gikandi PW, Hay SI, Nixon MS, Snow RW, et al. Developing geostatistical space-time models to predict outpatient treatment burdens from incomplete national data. Geogr Anal 2008 apr;40(2):167-188.

(98) Gichangi P, Apers L, Temmerman M. Rate of caesarean section as a process indicator of safemotherhood programmes: the case of Kenya. J Health Popul Nutr 2001;19(2):52-58.

(99) Gilbert C, Resnikoff S. Getting ready to cope with non-communicable eye diseases. Community Eye Health Journal 2014;27(87):51.

(100) Gimbel S, Micek M, Lambdin B, Lara J, Karagianis M, Cuembelo F, et al. An assessment of routine primary care health information system data quality in Sofala Province, Mozambique. Population Health Metrics 2011;9.

(101) Gladwin J, Dixon RA, Wilson TD. Implementing a new health management information system in Uganda. Health Policy Plan 2003;18(2):214-224.

(102) Gladwin J, Dixon RA, Wilson TD. Rejection of an innovation: Health information management training materials in east Africa. Health Policy Plan 2002;17(4):354-361.

(103) Gloyd S, Wagenaar BH, Woelk GB, Kalibala S. Opportunities and challenges in conducting secondary analysis of HIV programmes using data from routine health information systems and personal health information. Journal of the International AIDS Society 2016;19.

(104) Goodburn EA. Using process indicators to monitor and evaluate obstetric services in developing countries. J Am Med Womens Assoc 2002;57(3):145-148.

(105) Gopalan SS, Durairaj V. Addressing maternal healthcare through demand side financial incentives: experience of Janani Suraksha Yojana program in India. BMC health services research 2012;12:319.

(106) Graitcer PL. Injury surveillance in developing countries. Morb Mortal Weekly Rep 1992;41(SS-1):15.

(107) Hamainza B, Seyoum A, Killeen G. Spatial and temporal trends in malaria transmission can be captured by the diagnostic positivity rate reported from summaries of quality assured health facility records relayed through mobile phones. Am J Trop Med Hyg 2012;87(5):274.

(108) Hana J, Maleta K, Kirkhaug R, Hasvold T. PHC Leadership: Are Health Centres in Good Hands? Perspectives from 3 districts in Malawi. Malawi Medical Journal 2012 sep;24(3):46-51.

(109) Hanmer LA, Nicol E. Special People in Routine Health Information Systems Implementation in South Africa. Stud Health Technol Inform 2015;216:1000.

(110) Heywood AB, Campbell BC. Development of a primary Health Care Information System in Ghana: Lessons learned. Methods Inf Med 1997;36(2):63-68.

(111) Hlongwana KW, Zitha A, Mabuza AM, Maharaj R. Knowledge and practices towards malaria amongst residents of Bushbuckridge, Mpumalanga, South Africa. African Journal of Primary Health Care and Family Medicine 2011;3(1):Arte D 257.

(112) Hodgins S, D'Agostino A. The quality-coverage gap in antenatal care: toward better measurement of effective coverage. Global health, science and practice 2014;2(2):173-181.

(113) Hofman JJ, Mohammed H. Experiences with facility-based maternal death reviews in northern Nigeria. International Journal of Gynecology and Obstetrics 2014;126(2):111-114.

(114) Hotchkiss DR, Aqil A, Lippeveld T, Mukooyo E. Evaluation of the Performance of Routine Information System Management (PRISM) framework: evidence from Uganda. BMC health services research 2010;10:188.

(115) Hotchkiss DR, Diana ML, Foreit KG. How can routine health information systems improve health systems functioning in low- and middle-income countries? Assessing the evidence base. Advances in health care management 2012;12:25-58.

(116) Husain Z. Health of the National Rural Health Mission. Economic and Political Weekly 2011;46(4):53.

(117) Hussain Z, Ansari JA, Salman M, Khan EA, Asghar J. An evaluation of acute respiratory infection surveillance systems in Gilgit-Baltistan Pakistan. Journal of the Pakistan Medical Association 2016;66(6):682-687.

(118) Hussein J, Goodburn EA, Damisoni H, Lema V, Graham W. Monitoring obstetric services: Putting the 'UN guidelines' into practice in Malawi: 3 Years on. International Journal of Gynecology and Obstetrics 2001;75(1):63-73.

(119) Igira F. ICTs for Health Management Information Systems in Tanzania - Zanzibar: Societal and Economic challenges. Expanding the Knowledge Economy: Issues, Applications, Case Studies, Pts 1 and 2 2007;4:658-665.

(120) Illuyemi A, Briggs J, Fitch T. Electronic health records in developing countries, integrating with mobile technology and legacy systems for community based health workers: Organisational and end-users' issues. ; 2007.

(121) Iluyemi A, Briggs J. Exploiting EU-IST Mobile eHealth Programmes for Developing Health System and Human Resources in Africa: A Short Compendium and Policy Implications. Expanding the Knowledge Economy: Issues, Applications, Case Studies, Pts 1 and 2 2007;4:584-593.

(122) Indrayan A. Informatics: The key to efficiency. World Health Forum 1995;16(3):305-311.

(123) Inguane CA, Gloyd S, Manuel JL, Brown C, Wong V, Augusto O, et al. Assessment of linkages from HIV testing to enrolment and retention in HIV care in Central Mozambique. Journal of the International AIDS Society 2016;19.

(124) Ingwe MM, Kamuliwo M, Pickering J, Miller JM, Masaninga F, Winters B, et al. Standardizing a national malaria bulletin for tapping the potential of routine health management information system data in Africa: Process and results from Zambia. Am J Trop Med Hyg 2011;85(6):413.

(125) Ir P, Horemans D, Souk N, Damme WV. Using targeted vouchers and health equity funds to improve access to skilled birth attendants for poor women: A case study in three rural health districts in Cambodia. BMC Pregnancy and Childbirth 2010;10.

(126) Irawan YS, Soegijoko S. Development of appropriate telemedicine to improve the management information system for community health care in Indonesia. Proceedings of the 19th Annual International Conference of the Ieee Engineering in Medicine and Biology Society, Vol 19, Pts 1-6: Magnificent Milestones and Emerging Opportunities in Medical Engineering 1997;19:991-994.

(127) Ishfaq M, Lodhi BK. Role of GIS in social sector planning: can developing countries benefit from the examples of primary health care (PHC) planning in Britain? J Community Health 2012;37(2):372.

(128) Iyer H, Hirschhorn L, Kamanzi E, Drobac P, Cyamatare F, Nahimana E, et al. Impact of a districtwide health center strengthening intervention on healthcare utilization in rural Rwanda: An interrupted time series analysis. Annals of Global Health 2015;81(1):181.

(129) Jat TR, Sebastian MS. Technical efficiency of public district hospitals in Madhya Pradesh, India: a data envelopment analysis. Global health action 2013;6:21742.

(130) Jefferds M, Flores-Ayala R. Continuous household surveys to produce high quality, low cost, and timely nutrition surveillance data. Annals of Nutrition and Metabolism 2013;63:89.

(131) Jenkins R, Othieno C, Omollo R, Ongeri L, Sifuna P, Mboroki JK, et al. Probable post traumatic stress disorder in Kenya and its associated risk factors: A cross-sectional household survey. International Journal of Environmental Research and Public Health 2015;12(10):13494-13509.

(132) Jenkins R, Othieno C, Okeyo S, Aruwa J, Kingora J, Jenkins B. Health system challenges to integration of mental health delivery in primary care in Kenya-perspectives of primary care health workers. Bmc Health Services Research 2013 sep;13:368.

(133) Jones A, Howard N, Legido-Quigley H. Feasibility of health systems strengthening in South Sudan: A qualitative study of international practitioner perspectives. BMJ Open 2015;5(12).

(134) Kabadi GS, Geubbels E, Lyatuu I, Smithson P, Amaro R, Meku S, et al. Data resource profile: The sentinel panel of districts: Tanzania's national platform for health impact evaluation. Int J Epidemiol 2015;44(1):79-86.

(135) Kabakama S, Ngallaba S, Musto R, Montesanti S, Konje E, Kishamawe C. Assessment of four common underfive children illnesses Routine Health Management Information System data for decision making at Ilemela Municipal Council, Northwest Tanzania: A case series analysis. Int J Med Inf 2016;93:85-91.

(136) Kagonji IS. Knowledge, attitude and practice of health workers towards the use of health management information system in Iringa Municipality, Tanzania. Tanzania Health Research Bulletin 2005;7(1):43.

(137) Kaharuza F, Beyeza J, Atuheire E, Sentongo M, Ajeani J, Namagembe I, et al. Small beginnings, firm strides: Maternal mortality reviews in Uganda. International Journal of Gynecology and Obstetrics 2015;131:E346.

(138) Kakchapati S, Ardkaew J. Modeling of malaria incidence in nepal. Journal of Research in Health Sciences 2011;1(1):7-13.

(139) Karema C, Brieger WR, Uwimana A, Mukarugwiro B, Umulisa I. Malaria in pregnancy in rwanda as the country targets PRE-elimination. Am J Trop Med Hyg 2012;87(5):408.

(140) Karvande S, Sonawane D, Chavan S, Mistry N. What does quality of care mean for maternal health providers from two vulnerable states of India? Case study of Bihar and Jharkhand. Journal of Health Population and Nutrition 2016 feb;35:6.

(141) Kaushik A, Raman A. The new data-driven enterprise architecture for e-healthcare: Lessons from the Indian public sector. Government Information Quarterly 2015 jan;32(1):63-74.

(142) Kaweti G, Abegaz T. Prevalence of percutaneous injuries and associated factors among health care workers in Hawassa Referral and Adare District hospitals, Hawassa, Ethiopia, January 2014. BMC Public Health 2016;16(8):(5 January 2016).

(143) Keugoung B, Macq J, Buve A, Meli J, Criel B. The interface between the national tuberculosis control programme and district hospitals in Cameroon: missed opportunities for strengthening the local health system -a multiple case study. BMC Public Health 2013;13:265.

(144) Khan WA, Hussain M, Afzal M, Amin MB, Lee S. Healthcare standards based sensory data exchange for Home Healthcare Monitoring System. Conference proceedings : ...Annual International Conference of the IEEE Engineering in Medicine and Biology Society.IEEE Engineering in Medicine and Biology Society.Conference 2012:1274-1277.

(145) Kiberu VM, Matovu JK, Makumbi F, Kyozira C, Mukooyo E, Wanyenze RK. Strengthening district-based health reporting through the district health management information software system: the Ugandan experience. BMC medical informatics and decision making 2014;14:40.

(146) Kihuba E, Gheorghe A, Bozzani F, English M, Griffiths UK. Opportunities and challenges for implementing cost accounting systems in the Kenyan health system. Global Health Action 2016;9:30621.

(147) Kim HJ. Healthy City Kwachon 21 Project: a community health promotion programme in Korea. Asia Pac J Public Health 2000;12 Suppl:S67; 70.

(148) Kirtava Z, Jorjoliani D, Kashmadze K, Beridze J, Shamanadze O, Ghazisaidi N. Hybrid Networking Solutions for e-Health Systems in Georgia. 2013 21st Telecommunications Forum (Telfor) 2013:137-140.

(149) Kolachi HB, Ali A, Khuwaja MA. Morbidity pattern in health care providers in Sindh. Journal of the Liaquat University of Medical and Health Sciences 2007;6(3):120-123.

(150) Konan DJ, Aka J, Yao KJ, Kouassi-Gohou V, Yao KE, Faye-Kette H. Update on a neglected tropical disease from the routine health information system in C\^ote d'Ivoire: Yaws, 2001 to 2011.  $M{\{\e\}}$  decine et sant{ $\{\e\}}$  tropicales 2013;23(4):433-438.

(151) Kouroubali A, Starren JB, Clayton PD. Costs and benefits of connecting community physicians to a hospital WAN. Proceedings / AMIA ...Annual Symposium.AMIA Symposium 1998:205-209.

(152) Kouroubali A, Starren J, Jr. RCB, Clayton PD. Practical lessons in remote connectivity. Proceedings : a conference of the American Medical Informatics Association / ...AMIA Annual Fall Symposium.AMIA Fall Symposium 1997:335-339.

(153) Krishnan A, Nongkynrih B, Yadav K, Singh S, Gupta V. Evaluation of computerized health management information system for primary health care in rural India. BMC health services research 2010;10:310.

(154) Kumar R, Shaikh BT, Chandio AK, Ahmed J. Role of Health Management Information System in disease reporting at a rural district of Sindh. Pakistan Journal of Public Health 2012;2(2):10.

(155) Laku R, Camino CM, Stoops N, Alid M. Implementing a routine health management information system in South Sudan. South Sudan Medical Journal 2012;5(1):21.

(156) Langenbrunner JC, Cashin C, O'Dougherty S, Langenbrunner JC, Cashin C, O'Dougherty S. Designing and implementing health care provider payment systems: how-to manuals. 2009.

(157) Li Z, Du J, Zhu H, Xiong W, Liu Z. An Assessment and Intervention of Sub-health Management Information System Based on Lightweight Java EE Framework. Information Technology Applications in Industry Ii, Pts 1-4 2013;411-414:223-226.

(158) LiHua W, ZheYou F, Peng W, LiPing W, XueSong Z, Ju Z. Incidence of occupational disease in Jinshan District of Shanghai City from 2000-2012. Occupation and Health 2014;30(4):436.

(159) Lindgren TG, Deutsch K, Schell E, Bvumbwe A, Hart KB, Laviwa J, et al. Using mobile clinics to deliver HIV testing and other basic health services in rural Malawi. Rural and remote health 2011;11(2):1682.

(160) Lohiya A, Kant S, Kapil A, Gupta SK, Misra P, Rai SK. Pattern of antibiotic resistance among community derived isolates of enterobacteriaceae using urine sample: A study from Northern India. Journal of Clinical and Diagnostic Research 2015;9(7):15-19.

(161) Louis VR, Schoeps A, Tiendreb\'eogo J, Beiersmann C, Y\'e M, Damiba MR, et al. An insecticide-treated bed-net campaign and childhood malaria in burkina faso. Bull World Health Organ 2015;93(11):750-758.

(162) Lowe BH, Sugarman B. Design considerations for community mental health management information systems. Community Ment Health J 1978;14(3):216-223.

(163) Luboga SA, Stover B, Lim TW, Makumbi F, Kiwanuka N, Lubega F, et al. Did PEPFAR investments result in health system strengthening? A retrospective longitudinal study measuring non-HIV health service utilization at the district level. Health Policy Plan 2016 sep;31(7):897-909.

(164) Lungo JH. The reliability and usability of district health information software: case studies from Tanzania. Tanzania journal of health research 2008;10(1):39-45.

(165) Macharia J, Maroa C. Health Management Information Systems (HMIS) Implementation Characteristics that Influence the Quality of Healthcare in Private Hospitals in Kenya. 2014 Ist-Africa Conference Proceedings 2014.

(166) Magsumbol MS, Singh A, Ghosh A, Kler N, Garg P, Thakur A, et al. Association of air pollution on birth outcomes in New Delhi - a pilot study on the potential of HMIS data for environmental public health tracking. Indian journal of medical informatics 2014;8(2):52-56.

(167) Makinde OA, Azeez A, Bamidele S, Oyemakinde A, Oyediran KA, Adebayo W, et al. Development of a master health facility list in Nigeria. Online journal of public health informatics 2014 oct;6(2):e184.

(168) Manimaran S, Lakshmi KB. Development of model for assessing the acceptance level of users in rural healthcare system of Tamilnadu, India. Technology and health care : official journal of the European Society for Engineering and Medicine 2013;21(5):479-492.

(169) Maokola W, Willey BA, Shirima K, Chemba M, Schellenberg JRMA, Mshinda H, et al. Enhancing the routine health information system in rural southern Tanzania: Successes, challenges and lessons learned. Tropical Medicine and International Health 2011;16(6):721-730.

(170) Mapunjo S, Urassa DP. Quality standards in provision of facility based HIV care and treatment: a case study from Dar es Salaam Region, Tanzania. East African journal of public health 2007;4(1):12-18.

(171) Marquez L, Madubuike C. Country experience in organizing for quality: Zambia. Q.A.brief 1999 jan;8(1):16-19.

(172) Masomhe SP, Khatib R, Amuri B, Kamusi M, Awadh K. Use of biometric data in linking health demographic surveillance systems (HDSS) and health management information system (HMIS) information in Ifakara and Rufiji HDSSS in Tanzania. Am J Trop Med Hyg 2011;85(6):470.

(173) Materia E, Mele A, Mehari W, Rosmini F, Stazi MA, Damen HM, et al. Estimation of early childhood mortality using preceding birth technique in a community-based setting. Annali dell'Istituto superiore di sanit  $\{\ a\}$  1993;29(3):465-467.

(174) Mathai M. Measuring coverage of essential interventions and quality of care. International Journal of Gynecology and Obstetrics 2012;119:S219.

(175) Mathai M. Quality of care and maternal outcomes: Challenges and opportunities. International Journal of Gynecology and Obstetrics 2012;119:S219.

(176) Maynard C, Ehreth J, Cox GB, Peterson PD, McGann ME. Racial differences in the utilization of public mental health services in Washington state. Adm Policy Ment Health 1997;24(5):411-424.

(177) Mbabazi WB, Nanyunja M, Makumbi I, Braka F, Baliraine FN, Kisakye A, et al. Achieving measles control: lessons from the 2002-06 measles control strategy for Uganda. Health Policy Plan 2009;24(4):261-269.

(178) Mbondji PE, Kebede D, Soumbey-Alley EW, Zielinski C, Kouvividila W, Lusamba-Dikassa P. Health information systems in Africa: descriptive analysis of data sources, information products and health statistics. J R Soc Med 2014 may;107:34-45.

(179) Mbonye AK, Clarke SE, Lal S, Chandler CI, Hutchinson E, Hansen KS, et al. Introducing rapid diagnostic tests for malaria into registered drug shops in Uganda: Lessons learned and policy implications. Malaria Journal 2015;14(1).

(180) Mbonye M. The effect of IDCAP implementation on improvement of health management information systems in rural Uganda. Am J Trop Med Hyg 2010;83(5):277.

(181) Mbonye M, Burnett SM, Naikoba S, Colebunders R, Geertruyden J-V, Weaver MR. Disease diagnosis in primary care in Uganda. Tropical Medicine and International Health 2015;20:345.

(182) Mbonye MK, Burnett SM, Colebunders R, Naikoba S, Geertruyden JV, Weaver MR, et al. Disease diagnosis in primary care in Uganda. Bmc Family Practice 2014 oct;15:165.

(183) McFarland MJ, Nelson TM, Rasmussen SL, Palmer GR, Olivas AC. Complying with Executive Order 13148 using the enterprise environmental safety and occupational health management information system. Journal of the Air and Waste Management Association 2005;55(3):302-308.

(184) McMahon SA, Brenner S, Lohmann J, Makwero C, Torbica A, Mathanga DP, et al. Evaluating complex health financing interventions: using mixed methods to inform further implementation of a novel PBI intervention in rural Malawi. BMC health services research 2016 aug;16(1):412-414.

(185) Meremikwu M, Udoh E, Nwagbara B, Effa E, Oringanje C, Edet B, et al. Priority setting for systematic review of health care interventions in Nigeria. Health Policy 2011;99(3):244-249.

(186) Mghamba JM, Mboera LEG, Krekamoo W, Senkoro KP, Rumisha SF, Shayo E, et al. Challenges of implementing an Integrated Disease Surveillance and Response strategy using the current Health Management Information System in Tanzania. Tanzania Health Research Bulletin 2004;6(2):57.

(187) Mishra A, Vasisht I, Kauser A, Thiagarajan S, Mairembam DS. Determinants of health management information systems performance: Lessons from a district level assessment. BMC Proceedings 2012;6.

(188) Mofleh J, Ansari J. Evaluation of measles surveillance systems in Afghanistan-2010. Journal of Public Health and Epidemiology 2014;6(11):407.

(189) Mohammed H, Ameh CA. National facility based maternal death review: The Kenyan experience. International Journal of Gynecology and Obstetrics 2012;119:S832.

(190) Monawe M, Chawani MG, Kapokosa G, Moyo C. Strengthening Health Management Information Systems in Malawi: Gaps and Opportunities. 2015 Ist-Africa Conference 2015.

(191) Morgan DA. U.S. Army Occupational Health Management Information System health hazard information module version 2.2. Appl Occup Environ Hyg 1995;10(4):283-288.

(192) Moxon SG, Ruysen H, Kerber KJ, Amouzou A, Fournier S, Grove J, et al. Count every newborn; A measurement improvement roadmap for coverage data. BMC Pregnancy and Childbirth 2015;15.

(193) Moyo C, Nkhonjera T, Kaasboll J. Assessing the Use of Mobile Technology to improve Timeliness of HMIS Reports in Malawi. 2015 Ist-Africa Conference 2015.

(194) Mpimbaza A, Gasasira A, Sserwanga A, Kigozi R, Kakeeto S, Wanzira H, et al. Estimates of malaria morbidity before and after the implementation of a sentinel site inpatient malaria surveillance system in uganda. Am J Trop Med Hyg 2012;87(5):270.

(195) Mpimbaza A, Miles M, Sserwanga A, Kigozi R, Wanzira H, Rubahika D, et al. Comparison of routine health management information system versus enhanced inpatient malaria surveillance for estimating the burden of malaria among children admitted to four hospitals in Uganda. Am J Trop Med Hyg 2015 jan;92(1):18-21.

(196) Msyamboza KP, Phale E, Namalika JM, Mwase Y, Samonte GC, Kajirime D, et al. Magnitude of dental caries, missing and filled teeth in Malawi: National Oral Health Survey. Bmc Oral Health 2016 mar;16:29.

(197) Mubyazi GM, Byskov J, Magnussen P, Bygbjerg IC, Ijumba JN, Marero M, et al. Health facilitybased data on women receiving sulphadoxine-pyrimethamine during pregnancy in Tanzania: Lessons to learn from a cross-sectional survey in Mkuranga and Mufindi districts and other national survey reports. Reproductive Health 2014;11(1).

(198) Mufunda J, Nyarango P, Usman A, Gebremeskel T, Mebrahtu G, Ogbamariam A, et al. Roll back malaria - An African success story in Eritrea. South African Medical Journal 2007;97(1):46-50.

(199) Mugeni C, Levine AC, Munyaneza RM, Mulindahabi E, Cockrell HC, Glavis-Bloom J, et al. Nationwide implementation of integrated community case management of childhood illness in Rwanda. Global health, science and practice 2014;2(3):328-341.

(200) Mukherjee AK, Leck I, Langley FA, Ashcroft C. The completeness and accuracy of health authority and cancer registry records according to a study of ovarian neoplasms. Public Health 1991;105(1):69-78.

(201) Murai S, Lagrada LP, Gaite JT, Uehara N. Systemic factors of errors in the case identification process of the national routine health information system: a case study of Modified Field Health Services Information System in the Philippines. BMC health services research 2011;11:271.

(202) Mutemwa RI. HMIS and decision-making in Zambia: Re-thinking information solutions for district health management in decentralized health systems. Health Policy Plan 2006;21(1):40-52.

(203) Myburgh NG, Hobdell MH, Lalloo R. African countries propose a regional oral health strategy: The Dakar Report from 1998. Oral Dis 2004 may;10(3):129-137.

(204) Namaganda G, Oketcho V, Maniple E, Viadro C. Making the transition to workload-based staffing: using the Workload Indicators of Staffing Need method in Uganda. Human Resources for Health 2015 aug;13:89.

(205) Namwanje H, Turyaguma P, Heggen A, Tukahebwa EM, Agunyo S, Onapa A. Determining where to map for trachoma: Lessons from Uganda's classification tool. Am J Trop Med Hyg 2014;91(5):329.

(206) Nanyunja M, Lewis RF, Makumbi I, Seruyange R, Kabwongera E, Mugyenyi P, et al. Impact of mass measles campaigns among children less than 5 years old in Uganda. J Infect Dis 2003;187(SUPPL. 1):S63; S68.

(207) Ngabo F, Gatera M, Karema C, Donnen P, Lepage P, Parashar UD, et al. Can routinely collected national data on childhood morbidity and mortality from diarrhea be used to monitor health impact of rotavirus vaccination in Africa?: Examination of pre-vaccine baseline data from Rwanda. Pediatr Infect Dis J 2014;33(SUPPL. 1):S89; S93.

(208) Ngabo F, Tate JE, Gatera M, Rugambwa C, Donnen P, Lepage P, et al. Effect of pentavalent rotavirus vaccine introduction on hospital admissions for diarrhoea and rotavirus in children in Rwanda: A time-series analysis. The Lancet Global Health 2016;4(2):e129-e136.

(209) Ngongo C, Landry E, Levin K, Ndizeye S, Sutton I, Tripathi V. What to measure and why? Experience developing monitoring indicators for an emerging maternal health issue: the case of obstetric fistula. Journal of Health Informatics in Developing Countries 2015;9(1):un.

(210) Nguyen LT, Vu N, Duong HV, O'Neil J, Wiljer D, Nguyen CK. mMOM - Improving maternal and child health for ethnic minority people in mountainous region of Thai Nguyen province of Vietnam through integration of mHealth in HMIS and user-provider interaction. Annals of Global Health 2015;81(1):195-196.

(211) Nicol E, Bradshaw D, Phillips T, Dudley L. Human factors affecting the quality of routinely collected data in South Africa. Stud Health Technol Inform 2013;192:788-792.

(212) Nicol E, Hanmer LA. Routine Health Information Systems in South Africa--Opportunities for Improvement. Stud Health Technol Inform 2015;216:993.

(213) Nisingizwe MP, Iyer HS, Gashayija M, Hirschhorn LR, Amoroso C, Wilson R, et al. Toward utilization of data for program management and evaluation: quality assessment of five years of health management information system data in Rwanda. Global health action 2014;7:25829.

(214) Nnaji GA, Oguoma C, Nnaji LI, Nwobodo E. The challenges of budgeting in a newly introduced district health system: A case study. Global Public Health 2010;5(1):87-101.

(215) Nnebue CC, Onwasigwe CN, Adogu PO, Onyeonoro UU. Awareness and knowledge of disease surveillance and notification by health-care workers and availability of facility records in Anambra state, Nigeria. Nigerian medical journal : journal of the Nigeria Medical Association 2012 oct;53(4):220-225.

(216) Nnebue CC, Onwasigwe CN, Ibeh CC, Adogu POU. Effectiveness of data collection and information transmission process for disease notification in anambra state, Nigeria. Nigerian Journal of Clinical Practice 2013;16(4):483-489.

(217) Noor AM, Gikandi PW, Hay SI, Muga RO, Snow RW. Creating spatially defined databases for equitable health service planning in low-income countries: The example of Kenya. Acta Trop 2004;91(3):239-251.

(218) Nordberg E, Oranga H. Health information for district level planning: a cross-sectional household survey in rural Kenya. East Afr Med J 1996;73(6):364-369.

(219) Nsubuga P, Eseko N, Wuhib T, Ndayimirije N, Chungong S, McNabb S. Structure and performance of infectious disease surveillance and response, United Republic of Tanzania, 1998. Bull World Health Organ 2002;80(3):196-203.

(220) Nutley T, Gnassou L, Traore M, Bosso AE, Mullen S. Moving data off the shelf and into action: an intervention to improve data-informed decision making in Cote d'Ivoire. Global Health Action 2014;7:1-10.

(221) Nwaopara UA. Doctor to patient RAtio and infrastructure gap in a psychiatric hospital in oil rich Eket, Nigeria. African Journal of Psychiatry (South Africa) 2016;19(2).

(222) Nyamtema AS. Bridging the gaps in the Health Management Information System in the context of a changing health sector. BMC medical informatics and decision making 2010;10:36.

(223) Nyarango PM, Gebremeske T, Mebrahtu G, Mufunda J, Abdulmumini U, Ogbamariam A, et al. A steep decline of malaria morbidity and mortality trends in Eritrea between 2000 and 2004: The effect of combination of control methods. Malaria Journal 2006;5.

(224) Nyogea DS, Said H, Mwaigomole G, Stoeckle M, Felger I, Hatz C, et al. An assessment of the supply chain management for HIV/AIDS care and treatment in Kilombero and Ulanga districts in southern Tanzania. Tanzania Journal of Health Research 2015;17(2).

(225) Odhiambo-Otieno GW. Evaluation criteria for district health management information systems: Lessons from the Ministry of Health, Kenya. Int J Med Inf 2005;74(1):31-38.

(226) Olugbade OT, Anyanwu MO, Olusanya S, Ladipo TO, Ajumobi O, Olayinka A, et al. Utilization of malaria preventive services in pregnant women attending public health facilities in Oyo State, Southwest Nigeria, 2013. Am J Trop Med Hyg 2014;91(5):109.

(227) Osa-Eloka CE, Nwakoby BA, Onajole AT, Chika NO, Nwobi EA. Enhancing data management skills of primary health care workers in enugu state, Nigeria. Niger Postgrad Med J 2009 mar;16(1):14-20.

(228) Paandian M, Malarvili MB. A Web Based Employee Medical History Management and Monitoring System. 2012 Ieee Embs Conference on Biomedical Engineering and Sciences (Iecbes) 2012.

(229) Pahari DP, Bastola SP, Paudel R. Factors affecting retention of child health card in a rural area. Journal of Nepal Health Research Council 2011;9(2):154-158.

(230) Palasamudram D, Avinash S. ICT Solution for Managing Electronic Health Record in India. 2012 Third International Conference on Services in Emerging Markets (Icsem) 2012:65-74.

(231) Paltrinieri G, Shame AJ, Khamis RK, Sheikh Y, Bakar A, Peters B, et al. The health management information system of Zanzibar: Potentially more than a national repository of health data. Tropical Medicine and International Health 2009;14:110.

(232) Panth M, Acharya AS. The unprecedented role of computers in improvement and transformation of public health: an emerging priority. Indian Journal of Community Medicine 2015;40(1):8.

(233) Patel SV, Bakshi HN, Mazumdar VS, Kotecha PV. Validation of the immunization data reported under health management information system by the primary health centres of rural Vadodara. Journal of Health Management 2015;17(2):154.

(234) Peters DH, Noor AA, Singh LP, Kakar FK, Hansen PM, Burnham G. A balanced scorecard for health services in Afghanistan. Bull World Health Organ 2007;85(2):146-151.

(235) Pinchoff J, Larsen DA, Renn S, Pollard D, Fornadel C, Maire M, et al. Targeting indoor residual spraying for malaria using epidemiological data: A case study of the Zambia experience. Malaria Journal 2016;15(1).

(236) Prata N, Passano P, Sreenivas A, Gerdts CE. Maternal mortality in developing countries: Challenges in scaling-up priority interventions. Womens Health 2010;6(2):311-327.

(237) Qasimov V, Allahverdiyeva V, Imnadze P, Zakhashvili K, Burdakov A, Ukharov A. Integration from patient registration to who reporting in Azerbaijan and Georgia. International Journal of Infectious Diseases 2016;45:299.

(238) Qazi MS, Ali M. Health management information system utilization in Pakistan: Challenges, pitfalls and the way forward. BioScience Trends 2011;5(6):245-254.

(239) Qazi MS, Ali M. Pakistan's health management information system: Health managers' perspectives. Journal of the Pakistan Medical Association 2009;59(1):10-14.

(240) Qazi MS, Ali M, Kuroiwa C. The health management information system of Pakistan under devolution: health managers' perceptions. Bioscience trends 2008;2(2):75-80.

(241) Rabbani F, Hashmani FN, Mukhi AAA, Gul X, Pradhan N, Hatcher P, et al. Hospital management training for the Eastern Mediterranean Region: time for a change? Journal of Health Organization and Management 2015;29(7):965-972.

(242) Rajkotia Y, Zang O, Nguimkeu P, Djurovic I. Has performance-based financing accelerated progress towards controlling the HIV epidemic? An impact evaluation of Mozambique's HIV-focused PBF programme. Journal of the International AIDS Society 2015;18:86.

(243) Rasanathan K, Muniz M, Bakshi S, Kumar M, Solano A, Kariuki W, et al. Community case management of childhood illness in sub-Saharan Africa - findings from a cross-sectional survey on policy and implementation. Journal of Global Health 2014 dec;4(2):48-55.

(244) Rifai RA. Rising cesarean deliveries among apparently low-risk mothers at university teaching hospitals in Jordan: analysis of population survey data, 2002-2012. Global health, science and practice 2014;2(2):195-209.

(245) Robinson JR, Tataryn DJ. Reliability of the Manitoba Mental Health Management Information System for research. Canadian Journal of Psychiatry 1997;42(7):744-749.

(246) Roca-Feltrer A, Schellenberg JRA, Smith L, Carneiro I. A simple method for defining malaria seasonality. Malaria Journal 2009;8(1).

(247) Roomaney RA, Wyk VP, Awotiwon OF, Nicol E, Joubert JD, Bradshaw D, et al. Availability and quality of routine morbidity data: review of studies in South Africa. Journal of the American Medical Informatics Association : JAMIA 2016 jun.

(248) Rose-Wood A, Heard N, Thermidor R, Chan J, Joseph F, Lerebours G, et al. Development and use of a master health facility list: Haiti's experience during the 2010 earthquake response. Global health, science and practice 2014;2(3):357-365.

(249) Saeed KMI, Bano R, Asghar RJ. Evaluation of the national tuberculosis surveillance system in Afghanistan. Eastern Mediterranean Health Journal 2013;19(2):200-207.

(250) Saeed S, Ahmed SK, Chinoy MA, Khan MA. The pulley suture: A reliable option for closure of selected soft tissue defects under tension- three years experience of a tertiary care hospital. JPMA.The Journal of the Pakistan Medical Association 2015 mar;65(11 Suppl 3):S35-9.

(251) Saeed S, Ahmed SK, Chinoy MA, Khan MA. A comparative review of three techniques of syndactyly release. JPMA. The Journal of the Pakistan Medical Association 2015 nov;65(11 Suppl 3):S28-31.

(252) Samal J, Dehury RK. Perspectives and Challenges of HMIS Officials in the Implementation of Health Management Information System (HMIS) with Reference to Maternal Health Services in Assam. Journal of clinical and diagnostic research : JCDR 2016 jun;10(6):07-9.

(253) Sanner TA, Manda TD, Nielsen P. Grafting: Balancing Control and Cultivation in Information Infrastructure Innovation. Journal of the Association for Information Systems 2014;15(4):220-243.

(254) Sayinzoga F, Bijlmakers L, Dillen JV, Mivumbi V, Ngabo F, Velden KVD. Maternal death audit in Rwanda 2009-2013: A nationwide facility-based retrospective cohort study. BMJ Open 2016;6(1).

(255) Scott JS. Community health MIS: They who have the data make the rules. Comput Healthc 1993;14(7):22; 23, 25, 28.

(256) Scott VE, Sanders D. Evaluation of how integrated HIV and TB programs are implemented in South Africa and the implications for rural-urban equity. Rural and remote health 2013;13(2):2165.

(257) Scott V, Dinginto N, Xapile Z. Operational health service management: understanding the role of information in decision-making. South African Health Review 2015;2014/15:141.

(258) Serouri AWA, Rabee AA, Afif MB, Rukeimi AA. Reducing maternal mortality in Yemen: Challenges and lessons learned from baseline assessment. International Journal of Gynecology and Obstetrics 2009;105(1):86-91.

(259) Serwaa-Bonsu A, Herbst AJ, Reniers G, Ijaa W, Clark B, Kabudula C, et al. First experiences in the implementation of biometric technology to link data from Health and Demographic Surveillance Systems with health facility data. Global Health Action 2010;3:2120.

(260) Shaikh BT, Rabbani F. Health management information system: A tool to gauge patient satisfaction and quality of care. Eastern Mediterranean Health Journal 2005;11(1-2):192-198.

(261) Sharma A, Rana SK, Prinja S, Kumar R. Quality of health management information system for maternal \& child health care in Haryana state, India. PLoS ONE 2016;11(2).

(262) Sharma RC, Thaker HM, Gautam AS, Bhatt RM, Gupta DK. Gujarat model of health management information system with reference to malaria. Indian J Malariol 1992;29(1):11-22.

(263) Sharma S. Unsafe abortions in India: Is the MTP Act propitious enough? European Journal of Contraception and Reproductive Health Care 2016;21:61-62.

(264) Simba DO, Mwangu MA. Factors influencing quality of health management information system (HMIS) data the case of Kinondoni district in Dar es Salaam Region, Tanzania. 2006.

(265) Simba DO, Mwangu M. Application of ICT in strengthening health information systems in developing countries in the wake of globalisation. African health sciences 2004;4(3):194-198.

(266) Smith J. The strategic planning of health management information systems. Aust Health Rev 1995;18(4):26-42.

(267) Sokal DC, Imboua-Bogui G, Soga G, Emmou C, Jones TS. Mortality from neonatal tetanus in rural Cote d'Ivoire. Bull World Health Organ 1988;66(1):69-76.

(268) Sserwanga A, Kigozi R, Bukirwa H, Kakeeto S, Gasasira A, Menon M, et al. The impact of a sentinel site malaria surveillance program on improving case management in Uganda. Am J Trop Med Hyg 2010;83(5):359.

(269) Stansfield SK, Walsh J, Prata N, Evans T. Information to Improve Decision Making for Health. In: Jamison DT, Breman JG, Measham AR, Alleyne G, Claeson M, Evans DB, et al, editors. . 2nd ed. Washington (DC): The International Bank for Reconstruction and Development/The World Bank Group; 2006.

(270) Stanton C, Ronsmans C, Cesarean BG. Recommendations for routine reporting on indications for cesarean delivery in developing countries. Birth-Issues in Perinatal Care 2008 sep;35(3):204-211.

(271) Stark MJ, Gregan SL, Allen PW. The Iowa CHMIS (Community Health Management Information System): work in progress. J Ambulatory Care Manage 1996;19(1):98-104.

(272) Stewart JC, Schroeder DG, Marsh DR, Allhasane S, Kone D. Assessing a computerized routine health information system in Mali using LQAS. Health Policy Plan 2001;16(3):248-255.

(273) Strachan C, Wharton-Smith A, Sinyangwe C, Mubiru D, Ssekitooleko J, Meier J, et al. Integrated community case management of malaria, pneumonia and diarrhoea across three African countries: A qualitative study exploring lessons learnt and implications for further scale up. Journal of Global Health 2014 dec;4(2):79-95.

(274) Streveler DJ, Sherlock SM. Health Management Information Systems: Linking Purchasers and Providers. Designing and Implementing Health Care Provider Payment Systems: How-to Manuals 2009:263-306.

(275) Tang S, Wang L, Wang H, Chin DP. Access to and affordability of healthcare for TB patients in China: Issues and challenges. Infectious Diseases of Poverty 2016;5(1).

(276) Tappis H, Doocy S, Haskew C, Wilkinson C, Oman A, Spiegel P. United Nations High Commissioner for Refugees feeding program performance in Kenya and Tanzania: A retrospective analysis of routine Health Information System data. Food and Nutrition Bulletin 2012;33(2):150-160.

(277) Tarekegn SM, Lieberman LS, Giedraitis V. Determinants of maternal health service utilization in Ethiopia: analysis of the 2011 Ethiopian Demographic and Health Survey. BMC Pregnancy and Childbirth 2014;14(161):(7 May 2014).

(278) Taylor WR, Chahnazarian A, Weinman J, Wernette M, Roy J, Pebley AR, et al. Mortality and use of health services surveys in rural Zaire. Int J Epidemiol 1993;22(SUPPL. 1):S15; S19.

(279) Teklehaimanot A, Kitaw Y, G/Yohannes A, Girma S, Seyoum A, Desta H, et al. Study of the working conditions of Health Extension Workers in Ethiopia. Ethiopian Journal of Health Development 2007;21(3):246.

(280) Thiagarajan S, Gupta P, Mishra A, Vasisht I, Kauser A, Mairembam DS. Designing an information technology system in public health: Observations from India. BMC Proceedings 2012;6.

(281) Tilahun B, Fritz F. Comprehensive Evaluation of Electronic Medical Record System Use and User Satisfaction at Five Low-Resource Setting Hospitals in Ethiopia. Jmir Medical Informatics 2015;3(2):e22.

(282) Tiwari VK, Shukla R, Raj STP, Kulkarni PD, Sethi NK. Evolving mechanism for cross validation of data quality in health management information system (HMIS) - Perspectives and challenges emerging from a state in India. Indian Journal of Public Health Research and Development 2016;7(1):51-56.

(283) Tlotlego N, Nonvignon J, Sambo LG, Asbu EZ, Kirigia JM. Assessment of productivity of hospitals in Botswana: A DEA application. International Archives of Medicine 2010;3(1).

(284) Tornheim JA, Manya AS, Oyando N, Kabaka S, O'Reilly CE, Breiman RF, et al. The epidemiology of hospitalization with diarrhea in rural Kenya: the utility of existing health facility data in developing countries. International Journal of Infectious Diseases 2010;14(6):e499; e505.

(285) Tr\A¤g\AÂ¥rd A, Shrestha IB, Atun R, Lazarus JV, van Damme W, Coker R. System-wide effects of Global Fund investments in Nepal. Health Policy Plan 2010;25(Suppl. 1):58.

(286) Tuan NT, Alayon S, Do TT, Ngan TT, Hajeebhoy N. Integrating a project monitoring system into a public health network: Experiences from Alive \& Thrive Vietnam. Global Public Health 2015 feb;10:S40-S55.

(287) Upadhyay RP, Dwivedi PR, Rai SK, Misra P, Kalaivani M, Krishnan A. Determinants of neonatal mortality in rural Haryana: A retrospective population based study. Indian Pediatr 2012;49(4):291-294.

(288) VANHARTEVELT JHW. Information Management in International Development as an Area for Information-Services with a Case in the Field of Health-Care in Ghana. International Forum on Information and Documentation 1993 oct;18(3-4):32-36.

(289) Velarde-Rodriguez M, den Bergh RV, Fergus C, Casellas A, Sanz S, Cibulskis R, et al. Origin of malaria cases: a 7-year audit of global trends in indigenous and imported cases in relation to malaria elimination. Global Health Action 2015;8:29133.

(290) Vindigni SM, Riley PL, Kimani F, Willy R, Warutere P, Sabatier JF, et al. Kenya's emergency-hire nursing programme: a pilot evaluation of health service delivery in two districts. Human Resources for Health 2014 mar;12:16.

(291) Wagenaar BH, Sherr K, Fernandes Q, Wagenaar AC. Using routine health information systems for well-designed health evaluations in low- and middle-income countries. Health Policy Plan 2016 feb;31(1):129-135.

(292) Experience implementing a point-of-care electronic medical record system for primary care in Malawi. : Waters, E., Neno District Hospital, Neno, Malawi; 2010.

(293) Weeks RM, Svetlana F, Noorgoul S, Valentina G. Improving the monitoring of immunization services in Kyrgyzstan. Health Policy Plan 2000;15(3):279-286.

(294) Westberg J. Making a difference: An interview with Theo Lippeveld - Revitalizer of routine health information systems. Education for Health: Change in Learning and Practice 2007;20(2).

(295) Wickremasinghe D, Hashmi IE, Schellenberg J, Avan BI. District decision-making for health in low-income settings: a systematic literature review. Health Policy Plan 2016 sep;31 Suppl 2:12-24.

(296) Witter S, Zulfiqur T, Javeed S, Khan A, Bari A. Paying health workers for performance in Battagram district, Pakistan. Human Resources for Health 2011 oct;9:23.

(297) Y\'e Y, Kyobutungi C, Louis VR, Sauerborn R. Micro-epidemiology of Plasmodium falciparum malaria: Is there any difference in transmission risk between neighbouring villages? Malaria Journal 2007;6.

(298) Y\'e Y, Louis VR, Simboro S, Sauerborn R. Effect of meteorological factors on clinical malaria risk among children: An assessment using village-based meteorological stations and community-based parasitological survey. BMC Public Health 2007;7.

(299) Yellapurkar MV. Health management information system in leprosy control programme. Indian J Lepr 1984;56(1):86-97.

(300) Yourkavitch J, Zalisk K, Prosnitz D, Luhanga M, Nsona H. How do we know? An assessment of integrated community case management data quality in four districts of Malawi. Health Policy Plan 2016 may.

(301) Yukich JO, Bri\et O, Bretscher M, Bennett A, Lemma S, Berhane Y, et al. Measuring plasmodium falciparum transmission in low-endemic settings using a combination of community prevalence and health facility data. Am J Trop Med Hyg 2012;87(5):274.

(302) Yukich JO, Butts J, Miles M, Berhane Y, Nahusenay H, Malone JL, et al. A description of malaria sentinel surveillance: A case study in Oromia Regional State, Ethiopia. Malaria Journal 2014;13(1).

(303) Yukich J, Bri\et O, Bretscher MT, Bennett A, Lemma S, Berhane Y, et al. Estimating Plasmodium falciparum transmission rates in low-endemic settings using a combination of community prevalence and health facility data. PLoS ONE 2012;7(8).

(304) Yun Q, JingPing Z, Jian Y. Exploration and practice of a chronic disease network reporting system in Wuxi. Chinese Journal of Prevention and Control of Chronic Diseases 2011;19(4):397.

(305) Zhang B, Yang S, Yang R, Wang J, Liang S, Hu R, et al. Maternal Prepregnancy Body Mass Index and Small for Gestational Age Births in Chinese Women. Paediatr Perinat Epidemiol 2016 sep.

(306) Zhang Y, Chen L, van Velthoven, Michelle H M M T., Wang W, Liu L, Du X, et al. mHealth Series: Measuring maternal newborn and child health coverage by text messaging - A county-level model for China. Journal of Global Health 2013 dec;3(2):91-98.

(307) Ziraba AK, Mills S, Madise N, Saliku T, Fotso J-. The state of emergency obstetric care services in Nairobi informal settlements and environs: Results from a maternity health facility survey. BMC Health Services Research 2009;9.

#	Title	Authors	Journal/ Publication		
	Papers recommended by expert				
1	Improving the use of health data for health system strengthening	Tara Nutley and Heidi W. Reynolds	Glob Health Action 2013, 6: 20001 - http://dx.doi.org/10.3402/gha.v6i0. 20001		
2	Evidence for Health II: Overcoming barriers to using evidence in policy and practice	Anne Andermann, Tikki Pang, John N. Newton, Adrian Davis and Ulysses Panisset	Health Research Policy and Systems (2016) 14:17 DOI 10.1186/s12961-016-0086-3		
3	A systematic review of barriers to data sharing in public health	Willem G van Panhuis, Proma Paul, Claudia Emerson, John Grefenstette1, Richard Wilder, Abraham J Herbst, David Heymann and Donald S Burke	BMC Public Health 2014, 14:1144 http://www.biomedcentral.com/14 71-2458/14/1144		
4	Assessing country-level efforts to link research to action	John N. Lavis, Jonathan Lomas, Maimunah Hamid, & Nelson K Sewankambo	Bulletin of the World Health Organization 2006; 84:620-628		
5	Results Data Initiative: Findings from Ghana	Development Gateway	Available at http://www.developmentgateway.o rg/assets/post-resources/RDI- Ghana.pdf		
6	A Review of Constraints to Using Data for Decision Making-Recommendations to Inform the Design of Interventions	MEASURE Evaluation	Available at https://www.measureevaluation.or g/resources/publications/tr-10-77		
7	Strengthening capacity in developing countries for evidence-based public health: the data for decision- making project	Marguerite Pappaioanoua, Michael Malison, Karen Wilkins, Bradley Otto, Richard A. Goodman, R. Elliott Churchill, Mark White, Stephen B. Thacker	Social Science & Medicine 57 (2003) 1925–1937		
8	The Data for Decision Making project: assessment of surveillance systems in developing countries to improve access to public health information	K. Wilkins, P. Nsubuga, J. Mendlein, D. Mercer, M. Pappaioanou	Public Health (2008) 122, 914-922		
9	Data Demand and Information Use in the Health Sector-Case Study Series	MEASURE Evaluation	Available at https://www.measureevaluation.or g/resources/publications/sr-08-44		

Appendix 2. List of publications selected for full-paper review

#	Title	Authors	Journal/ Publication		
	Papers recommended by expert				
10	A Conceptual Framework for Data Demand and Information Use (DDIU) in the Health Sector	MEASURE Evaluation Full-paper from electronic se	Available at <u>https://www.measureevaluation.or</u> <u>g/resources/publications/ms-06-</u> <u>16a</u> <b>arch</b>		
11	Evaluation of the national tuberculosis surveillance system in Afghanistan.	Saeed KMI, Bano R, Asghar RJ.	Eastern Mediterranean Health Journal 2013; So 19(2):200-207.		
12	Bridging the gaps in the Health Management Information System in the context of a changing health sector.	Nyamtema AS.	BMC medical informatics and decision making 2010;10:36.		
13	Design considerations for community mental health management information systems.	Lowe BH, Sugarman B.	Community Ment Health J 1978;14(3):216-223.		
14	Development of a primary Health Care Information System in Ghana: Lessons learned.	Heywood AB, Campbell BC.	Methods Inf Med 1997;36(2):63- 68		
15	Evaluation criteria for district health management information systems: Lessons from the Ministry of Health, Kenya.	Odhiambo-Otieno GW.	Int J Med Inf 2005;74(1):31-38.		
16	Key influences in the design and implementation of mental health information systems in Ghana and South Africa.	Ahuja S, Mirzoev T, Lund C, Ofori-Atta A, Skeen S, Kufuor A.	Global Mental Health 2016 apr;3:e11.		
17	Designing an information technology system in public health: Observations from India.	Thiagarajan S, Gupta P, Mishra A, Vasisht I, Kauser A, Mairembam DS.	BMC Proceedings 2012;6.		
18	The reliability and usability of district health information software: case studies from Tanzania.	Lungo JH.	Tanzania journal of health research 2008;10(1):39-45.		